


M 8375 /// FENDERHAKEN, FEINGUSS POLIERT

Fender hook, investment cast, polished
Pasacabo con gatillo, fundición fina, pulido
Mousqueton sur platine, pièce de fonderie, poli




Typ	H mm	L mm	W mm	F mm	P.U.
A	24	38	34	8	5
B	34	40	34	14	5

A4/AISI316

M 8224 /// AUGPLATTE, FEINGUSS POLIERT

Pad eye, oblonge base, investment cast, polished
Base con aro, fundición fina con dos perforaciones
Pontet sur platine oblonge, pièce de fonderie, poli




Typ	A mm	B mm	W mm	D mm	P.U.
A	75	22	16	7,5	6
B	88	32	19	8,0	6
C	100	36	22	9,0	6

A4/AISI316

M 8223 /// AUGPLATTE, FEINGUSS POLIERT

Pad eye, oblonge base, investment cast, polished
Base con aro, fundición fina, pulido
Pontet sur platine diamant, pièce de fonderie, poli




Typ	A mm	B mm	W mm	H mm	D mm	P.U.
A	80	50	19	24	7,5	6
B	90	55	22	28	8,0	6
C	100	62	25	34	9,0	6

A4/AISI316

M 8266 /// AUGPLATTE, GESTANZT UND GESCHWEISST

Pad eye, stamped and welded
Basa plana con dos perforaciones
Pontet sur platine oblonge, embouti et soudé




Typ	A mm	B mm	D mm	A1 mm	H mm	H1 mm	W mm	D1 mm	P.U.
A	45	15	5	31	20	13	12	4,0	10
B	60	20	6	43	26	19	19	5,0	10
C	80	26	8	56	32	22	22	6,0	10
D	100	36	9	70	38	27	26	6,5	10

A2/AISI304

M 8264 /// AUGPLATTE, GESTANZT UND GESCHWEISST

Pad eye, stamped and welded
Basa con aro, troquelado y soldado
Pontet sur platine diamant, embouti et soudé




Typ	A mm	B mm	W mm	H mm	D mm	D1 mm	P.U.
A	59	37	11	22	5	4,2	5
B	64	40	15	27	6	4,2	5
C	80	50	18	32	8	5,5	5

A2/AISI304

**M 8265 /// AUGPLATTE MIT RING,
GESTANZT UND GESCHWEISST**

Pad eye with ring assy., stamped and welded
Base con aro
Pontet sur platine avec anneau mobile




Typ	A mm	B mm	H mm	W mm	D mm	D1 mm	L mm	P.U.
A	59	37	22	11	5	4,2	30	5
B	64	40	22	15	6	6,0	35	5
C	80	50	32	18	8	8,0	45	5

A2/AISI304

**M 8353 /// AUGPLATTE, RUND,
GESTANZT UND GESCHWEISST**

Eye plate, stamped and welded
Base redonda
Pontet sur platine ronde




Typ	A1 mm	A2 mm	H mm	H1 mm	W mm	D mm	D1 mm	P.U.
A	33	18	19	11	13	5	4,5	10
B	40	22	26	17	16	6	4,5	10
C	50	28	32	21	20	8	4,5	10

A2/AISI304

**M 8396 /// AUGPLATTE MIT WIRBEL,
GESTANZT UND GESCHWEISST**

Pad eye, swivel, stamped and welded
Base con anillo giratorio
Pontet avec anneau emerillon




Typ	A mm	B mm	H mm	W mm	D mm	D1 mm	P.U.
A	35	35	35	15	5	4,2	5
B	40	40	40	18	6	5,2	5
C	50	50	45	19	8	5,2	5

A2/AISI304

**M 8397 /// AUGPLATTE MIT WIRBEL UND RING,
GESTANZT UND GESCHWEISST**

Pad eye, swivel, w. ring assy., stamped and welded
Base con anillo giratorio y anillo
Platine avec anneau mobile et anneau emerillon




Typ	A mm	B mm	H mm	W mm	D mm	D1 mm	L mm	P.U.
A	35	35	35	15	5	4,2	30	5
B	40	40	40	18	6	5,2	40	5
C	50	50	45	19	8	5,2	50	5

A2/AISI304

M 8225 /// AUGPLATTE, GESTANZT UND GESCHWEISST

Pad eye, stamped and welded
Base con aro, troquelado y soldado
Pontet sur platine oblonge, embouti et soudé




Typ	A mm	B mm	H mm	H1 mm	W mm	D mm	D1 mm	P.U.
A	30	35	19	12	14	5	4,2	10
B	35	40	26	17	18	6	4,2	10
C	40	50	33	22	20	8	5,2	10

A2/AISI304

M 8361 /// KLEIDERHAKEN, FEINGUSS, POLIERT

Coat hook, investment cast, polished
Gancho para ropa, fundición fina, pulido
Crochet simple, pièce fonderie, poli




Typ	W mm	H mm	H1 mm	T mm	P.U.
A	47	37	28	3,5	5
B	68	45	36	5,0	5

A2/AISI304

M 8370 /// KLEIDERHAKEN, FEINGUSS POLIERT

Coat hook, investment cast, polished
Gancho para ropa, fundición fina, pulido
Crochet simple, pièce fonderie, poli




H mm	W mm	P.U.
39	30	5

A2/AISI304

M 8399 /// KLEIDERHAKEN, FEINGUSS POLIERT

Coat hook, investment cast, polished
Gancho para ropa, fundición fina, pulido
Crochet simple, pièce fonderie, poli




H mm	W mm	P.U.
40	31	5

A2/AISI304

M 8705 /// ÖSENSCHRAUBE

Eye screw
Tornillo de ojo
Piton à œil fermé, filet bois




D	L	W	P.U.
mm	mm	mm	
3,3	16	8	50
3,7	20	10	50
4,0	25	12	50
4,4	30	14	50

A2/AISI304

M 8706 /// SCHRAUBHAKEN, GEBOGEN

Cup hook, plain
Cáncamo
Piton ouvert, filet bois




D	L	W	P.U.
mm	mm	mm	
3,3	40	14	50
3,5	50	17	50
3,5	60	16	50
4,4	50	16	50
4,4	65	22	50
5,2	80	26	50
6,0	100	26	50

A2/AISI304

M 8144 /// STECKBOLZEN

Clevis pin
Bulón
Axe de goupille




Typ	D	L	N	P.U.
	mm	mm	mm	
A	4,00	14,0	11,0	5
B	4,00	19,0	16,0	5
C	5,00	15,0	11,0	5
D	5,00	18,0	14,0	5
E	5,00	21,0	17,0	5
F	6,00	15,0	11,0	5
G	6,00	20,0	16,0	5
H	6,00	25,0	21,0	5
I	6,00	29,0	25,0	5
J	6,00	36,0	32,0	5
K	6,00	45,0	41,0	5
N	8,00	21,0	17,0	5
O	8,00	24,0	20,0	5
P	8,00	27,0	23,0	5
Q	8,00	32,0	28,0	5
R	9,50	26,0	22,0	5
S	9,50	30,0	26,0	5
T	10,00	30,0	26,0	5
U	11,00	30,0	25,0	5
V	12,00	30,0	26,0	5
W	15,00	41,0	36,0	5

A4/AISI316

M 8707 /// HAKENSCHRAUBE

Square hooks for wood
Cáncamo
Crochet carré pour bois




D	L1	L2	P.U.
mm	mm	mm	
3,0	30	10	50
3,5	40	10	50
4,0	45	15	50
4,5	50	20	50
5,0	60	20	50

A2/AISI304

M 8356 /// KLAPPBOLZEN

Safety pin
Perno abatible
Goupille de sécurité




D	L1	L2	P.U.
mm	mm	mm	
6	20	15	5
6	26	20	5
6	31	25	5
6	56	50	5
6	65	60	5
8	28	20	5
8	34	25	5
8	38	30	5
8	43	35	5
10	35	25	5
10	45	35	5
10	55	45	5

A2/AISI304

M 8267 /// AUGBOLZEN

Eye bolt
Tornillo de ojo
Boulon à œil




D	L	D1	W	P.U.
mm	mm	mm	mm	
M 6	40	5	15	10
M 6	60	5	15	10
M 6	80	5	15	10
M 8	80	6	20	10
M 8	100	6	20	10
M 10	100	8	25	10
M 12	120	10	30	10

A4/AISI316

M 8268 /// AUGBOLZEN MIT HOLZGEWINDE

Eye bolt with wood thread
Tornillo de ojo para Madera
Piton à œil vis bois




D	L	T	D1	D2	P.U.
mm	mm	mm	mm	mm	
5	50	30	5	11	10
6	60	35	5	14	10
8	80	50	6	18	10
10	100	60	8	22	10

A4/AISI316

M 8228 /// AUGBOLZEN MIT RING

Eye bolt with ring, assembly
Cáncamo con anillo
Piton avec anneau




D	D1	L	T	W	P.U.
mm	mm	mm	mm	mm	
M 6	6	90	55	35	10
M 8	8	100	60	45	10
M 10	10	130	80	50	10
M 12	12	150	90	60	10

A4/AISI316

DIN 580 /// RINGSCHRAUBE, GESCHMIEDET ODER GEGOSSEN

Eye bolt, forged or casted
Tornilla de anilla
Anneau de levage mâle DIN 580




D	L	B	H	W	P.U.
mm	mm	mm	mm	mm	
M 8	13,0	36	36	20	25
M 10	17,0	45	45	25	25
M 12	20,5	54	53	30	25
M 16	27,0	63	62	35	10
M 20	30,0	72	71	40	10
M 24	36,0	90	90	50	10
M 30	45,0	109	108	65	10

A4/AISI316
A2/AISI304

DIN 582 /// RINGMUTTER, GESCHMIEDET ODER GEGOSSEN

Eye nut, forged or casted
Tuerca de anilla
Anneau de levage femelle DIN 582




D	H	B	W	P.U.
mm	mm	mm	mm	
M 8	36	36	20	25
M 10	45	45	25	25
M 12	54	53	30	25
M 16	63	62	35	10
M 20	72	71	40	10
M 24	90	90	50	10
M 30	109	108	65	10

A4/AISI316
A2/AISI304

M 8374 /// STECKBOLZEN MIT KUGELSICHERUNG UND RING

Fast pin with ring
Perno con seguro de bola y anillo
Goupille avec anneau



D	L1	L2	P.U.
mm	mm	mm	
5	25	17	10
6	25	17	10
8	25	17	10
8	38	26	10

A2/AISI304